

OUTDOOR RING POD PRODUCT INFORMATION

the **meeting**  **co**

Supplied by

 **GIBBSONN**
CREATIVE | SPACE | DESIGN

OPEN RING OUTDOOR MEETING POD

Composite circular shell, fixed table and bench style seating with solid Iroko wood trim, deck board interior lining and flooring.
2-8 people configurations.

External colours



Internal deck board lining colours



Seating & Table colours



Deck board flooring



Additional Options

Solar Power — Solar panel with battery storage, LED lighting, double USB & USB-C charging point

Mains Power — Mains power cable, LED lighting, double USB & USB-C charging point

Wheelchair accessibility — Ramp and reduced size table

Additional USB power socket



Outdoor Meeting Pod

Standard Specification

External

- white composite shell

Seating

- composite deck board with wood grain effect
- sapele hardwood trim

Interior


- composite deck board with wood grain effect

Table


- composite deck board with wood grain effect
- sapele hardwood trim
- black cast steel table leg




Grey composite
deck board interior



Sapele
hardwood trim



Composite material
deck board flooring
with wood grain
effect



White gloss
exterior shell. Can
be made with heat
resistant resin
upon request.

Outdoor Meeting Pod

Additional Options

External

- any RAL colour shell

Seating/Interior

- change to black, chocolate or teak composite deck boards

Accessibility

- reduced size table and wheelchair ramp

Power

- solar power – battery storage unit, LED lighting & USB/USB-C charging point
- mains power – battery storage unit, LED lighting & USB/USB-C charging point
- additional USB socket



Solar power



Any RAL colour
external shell



DDA wheelchair
ramp

Dimensions & Weights

2 person outdoor pod

D750mm x W2500mm x H2150mm

Structure, decking board fit out & seating= 50kg

Table & leg= 16kg

Solar panel & lights= 11kg

Flooring= 19kg



6 person outdoor pod


D2250mm x W2500mm x H2150mm

Structure, decking board fit out & seating= 150kg

Table & leg= 48kg

Solar panel & lights= 11kg

Flooring= 56kg



4 person outdoor pod


D1500mm x W2500mm x H2150mm

Structure, decking board fit out & seating= 100kg

Table & leg= 32kg

Solar panel & lights= 11kg

Flooring= 37kg



8 person outdoor pod


D3000mm x W2500mm x H2150mm

Structure, decking board fit out & seating= 200kg

Table & leg= 64kg

Solar panel & lights= 11kg

Flooring= 74kg



PART ENCLOSED OUTDOOR MEETING POD

Composite circular shell with a double-glazed rear enclosure, fixed table and bench style seating with solid Iroko wood trim, deck board interior lining and flooring. 2-8 people configurations.

External colours



Internal deck board lining colours



Seating & Table colours



Deck board flooring



Additional Options

Solar Power — Solar panel with battery storage, LED lighting, double USB & USB-C charging point

Mains Power — Mains power cable, LED lighting, double USB & USB-C charging point

Wheelchair accessibility ramp

Additional USB power socket



Outdoor Meeting Pod

Standard Specification

External

- white composite shell

Seating

- composite deck board with wood grain effect
- sapele hardwood trim

Interior

- composite deck board with wood grain effect

Table


- composite deck board with wood grain effect
- sapele hardwood trim
- black cast steel table leg

Rear Enclosure


- double glazed glass panels
- aluminium and composite framework




Grey composite
deck board interior



Sapele
hardwood trim



Composite material
deck board flooring
with wood grain
effect



White gloss
exterior shell. Can
be made with heat
resistant resin
upon request.

Outdoor Meeting Pod

Additional Options

External

- any RAL colour shell

Seating/Interior


- change to black, chocolate or teak composite deck boards

Accessibility

- reduced size table and wheelchair ramp

Power

- solar power – battery storage unit, LED lighting & USB/USB-C charging point
- mains power – battery storage unit, LED lighting & USB/USB-C charging point
- additional USB socket



Dimensions & Weights

2 person outdoor pod

D786mm x W2500mm x H2150mm


Structure, decking board fit out & seating= 50kg

Rear glass enclosure= 108kg

Table & leg= 16kg

Solar panel & lights= 11kg

Flooring= 19kg



6 person outdoor pod

D2286mm x W2500mm x H2150mm


Structure, decking board fit out & seating= 150kg

Rear glass enclosure= 108kg

Table & leg= 48kg

Solar panel & lights= 11kg

Flooring= 56kg



4 person outdoor pod

D1536mm x W2500mm x H2150mm


Structure, decking board fit out & seating= 100kg

Rear glass enclosure= 108kg

Table & leg= 32kg

Solar panel & lights= 11kg

Flooring= 37kg



8 person outdoor pod

D3036mm x W2500mm x H2150mm


Structure, decking board fit out & seating= 200kg

Rear glass enclosure= 108kg

Table & leg= 64kg

Solar panel & lights= 11kg

Flooring= 74kg



FULLY ENCLOSED OUTDOOR MEETING POD

Composite insulated circular shell with double-glazed front and rear enclosure, upholstered cushioned seating and bolstered foam lining, fixed table, deck board flooring, dual silent motor air ventilation system, LED lighting, double 3-pin power socket with USB & USB-C.
2-8 people configurations.

External colours



Internal bolster fabrics



Seating fabrics



Table finish



Central core finish



Deck board flooring



Additional Options

Heating – Back panel mounted heating system

Air Conditioning – Back panel mounted unit with external ventilation system

Tech Pack – Screen hanging bracket, HDMI, Ethernet & additional power socket

Wheelchair accessibility ramp

Additional USB power socket



Outdoor Meeting Pod

Standard Specification

External

- white composite shell

Seating

- upholstered in Camira 'Blazer'
- 3" reconstructed foam with 1" topper

Interior

- bolstered foam upholstered in Camira 'Blazer'
- composite wood grain effect deck board flooring

Table

- Oak effect high pressure laminate
- black cast steel table leg

Rear Enclosure

- black solid central core
- double glazed rear wing panels

Power

- mains power connection
- dual plug 3 pin plug sockets
- dual USB-A & USB-C ports
- silent double motor air ventilation

Front Enclosure

- black powder coated framework
- double glazed glass door with mortice lock
- double glazed glass wings

Lighting


- TALA pendant lighting with oak and brass effect fittings




Camira 'Blazer'
bolstered foam
lining and seating



Oak effect
high pressure
laminate table
top. Matching
oak beam and
light fittings



Composite material
deck board flooring
with wood grain
effect



White gloss
exterior shell. Can
be made with heat
resistant resin
upon request.

Outdoor Meeting Pod

Additional Options

External

- any RAL colour shell

Seating

- upgrade to any fabric from the Camira 'Blazer' range

Interior

- upgrade to any fabric from the Camira 'Blazer' range

Accessibility


- DDA compliant door size, reduced size table and wheelchair ramp

Power

- tech pack (screen hanging bracket, HDMI & ethernet port, additional power socket at TV height)
- heating (back panel mounted unit with remote control)
- air conditioning (back panel mounted system with external ventilation unit)
- additional USB socket



'Tech Pack'
(TV NOT INCLUDED)



Any RAL colour
external shell



DDA wheelchair
ramp

DIMENSIONS & WEIGHTS

2 person outdoor pod

D1058mm x W2500mm x H2150mm


Structure, bolstered foam fit out & seating= 80kg

Front & rear glass enclosure= 120kg

Table & leg= 16kg

Enclosed lighting= 2kg

Flooring= 19kg



4 person outdoor pod

D1770mm x W2500mm x H2150mm

Structure, bolstered foam fit out & seating= 160kg

Front & rear glass enclosure= 120kg

Table & leg= 32kg

Enclosed lighting= 2kg

Flooring= 37kg



6 person outdoor pod

D2442mm x W2500mm x H2150mm


Structure, bolstered foam fit out & seating= 240kg

Front & rear glass enclosure= 120kg

Table & leg= 48kg

Enclosed lighting= 2kg

Flooring= 56kg



8 person outdoor pod

D3270mm x W2500mm x H2150mm


Structure, bolstered foam fit out & seating= 320kg

Front & rear glass enclosure= 120kg

Table & leg= 64kg

Enclosed lighting= 2kg

Flooring= 74kg



STANDARD SPECIFICATION

open & part enclosed outdoor pods



Composite deck board lining- Eco-friendly deck board linings that are made out of composite & combined with 100% recycled plastic- extremely hard wearing and very gentle on the environment.



Iroko Wood Trim- This wood is tough, dense, and very durable.

Shells- Constructed from white recycled resin, typically 1800 bottle tops makes up a 4 person pod. Our choice for white stems from its resistance to discolouring.



fully enclosed outdoor pods



Bolster Foam Interior- Dartmouth Blazer Camira. 100% virgin wool, heavy duty and supplied with a manufactures 10 year guarantee. Flat acoustic foam wrapped in fabric is designed to control the acoustics and reverberations within the pod, with a sleek finish. Perfect for high traffic environments.



Seat Material- Aberlour Blazer Camira. 100% virgin wool, heavy duty and supplied with a manufactures 10 year guarantee.



Seat Foam- 3", 6lb reconstituted foam with 1" blue topper. All foam materials comply BS 5852 flammability performance requirements and cigarette/ match ignite test.



Shells- Constructed from white recycled resin, typically 1800 bottle tops makes up a 4 person pod. Our choice for white stems from its resistance to discolouring.

BESPOKE OPTIONS

External options (open, part & fully enclosed):

- Change in pod shell colour to any RAL chart colour
- Vinyl wrapping
- Biophilic wrapping
- Wood cladding

Deck board options (open, part & fully enclosed):

- Premier Brown
- Premier Mocha
- Premier Charcoal
- Premier Silver

Bolstered foam fabric options (Camira) (fully enclosed only):

- Era Range
- Blazer Range
- Xtreme Range
- Synergy Range
- Gravity Range
- Advantage range
- Vita Range



POWER OPTIONS



● premium pendant lighting

Tala pendant lighting system with filament lamps made of mouth blown glass, achieves 540 lumens.



● solar power

12v solar panel available with open and part enclosed pods. 2 x USB charging ports fit within seat base.



● standard lighting

Infrared sensor switch. LED cable lighting with adjustable spotlight heads, using 85% less energy and lasting up to 20 times longer than incandescent bulbs.



● mains power connection

1 x double power point with 2 x USB connectors is fitted to the back panel (or into the seat base if no back panel is selected)- 2m connection lead with 16amp plug.



● tech pack

Option for pods with power connection and fitted back panel. Screen hanging arm, additional single power point at screen hanging level, HDMI connector and Ethernet to accommodate screen hanging with pod.



● warranty

A five year warranty is supplied on the composite structure of the meeting pods covering normal use for the purposes of meetings. In addition the benefit of any manufacturers' warranty given by a third party supplier of Goods will be assigned to the Buyer. No liability will be accepted for any defect arising from fair wear and tear, wilful damage, negligence, misuse, alteration or repair without the Seller's approval in writing.

accessory options



Glass Back Panel- Double-glazed wings with solid central core back panel or, 3 part double-glazed back panel



Full Glass Front Enclosure- Double-glazed wings with composite double-glazed door



Air Ventilation- For outdoor pods with back panels and full glass enclosures an airflow system is fitted which is operated from the light switch. Standard air flow system with silent running extractor fan will exchange up to 95m³ of air per hour.



Heating- Wall-mounted ceramic heater with remote control, LED display and 2 Heat Settings Including Cool Blow. Mounted onto back panel central core underneath table.



Heating & Air Conditioning Combo- Adjust your individual feel-good temperature thanks to the automatic heating/cooling functions. Cooling power: 2400 W, Heating power: 1700 W.



Air Conditioning- Cooling time can be programmed up to 15 hours in advance with the timer function. Cooling power: 1800 W. Consumes very little power and lightweight.

installation information

installation hours



open ring pods- up to 2 hours



part enclosed pods- up to 4 hours



fully enclosed pods- up to 6 hours

installation requirements

- Local parking
- Access information to installation site
- Completion of pre-installation questionnaire
- Confirmation if site induction required

Additional Information



Warranty

A 5 year warranty is supplied on the structure of our products covering normal use for the purposes of meetings. In addition, the benefit of any manufacturer's warranty given by a third party supplier of goods will be assigned to the buyer. No liability will be accepted for any defect arising from fair wear and tear, wilful damage, negligence, misuse, alterations or repairs without the seller's approval in writing.



Acoustics

Designed and manufactured by us with acoustics at the forefront of consideration. We have integrated premium materials to maximise our pods acoustic properties, with independent laboratory testing to BS ISO 23351-1:2020 standards to ensure the highest levels of performance.



Installation

For all UK orders, our own engineering team will deliver and install your products.

- Requirements for installations are;
- Local parking
 - Access information to installation site
 - Completion of pre-installation questionnaire
 - Confirmation if site induction required



Worldwide Delivery

Our products can be shipped worldwide.

We do not install outside of the UK. Self assembly will be required; however, we will provide a fully comprehensive installation guide along with helpful 'how to' videos to assist with the build of each product.



The Meeting Pod Company, Products
are manufactured in the UK and
supplied by Gibbsonn Ltd

Gibbsonn Ltd

Contact - 01279 757575

info@gibbsonn.com

www.gibbsonn.com

Showroom / Offices

Units H5 & H6 Peek Business Park

Bishops Stortford Herts CM23 5RG